

Droplet/Contact/Eye precautions to prevent the spread of infection



Perform hand hygiene before and after entering room.



Wear a gown upon entering this room.



Wear a mask upon entering this room.



Wear eye protection when entering this room.



Wear gloves when entering this room.

Use dedicated or single use disposable patient equipment. When this is not possible, disinfection of common use items is required.



Call Infection Prevention if you have questions.

Airborne/Contact/Eye precautions with N95



Perform hand hygiene before and after entering room



Wear a gown upon entering this room



Wear a N95 mask upon entering this room

Aerosol-Generating Procedure:

Apply a procedure mask over N95 when goggles are used
If faceshield is used, a procedure mask is not required



Wear eye protection when entering this room (Goggles/Faceshield)



Wear gloves when entering this room

Use dedicated or single use disposable patient equipment. When this is not possible, disinfection of common use items is required.



Call Infection Prevention if you have questions

Airborne/Contact precautions with CAPR



Perform hand hygiene before and after entering room.



Wear a gown upon entering this room.



Don procedure mask (new one is not required if already in place) then apply CAPR.

Note: This update is to reflect source control and decrease exposure to patient.



Wear gloves when entering this room.



Patient room door should remain closed at all times.

Use dedicated or single use disposable patient equipment. When this is not possible, disinfection of common use items is required.



Call Infection Prevention if you have questions.